



## HP P27h G5 68.6 cm (27") 1920 x 1080 pixels Full HD Black

Brand : HP

Product code: 64W41AA

Product name : P27h G5

P27h G5 FHD Monitor

HP P27h G5 68.6 cm (27") 1920 x 1080 pixels Full HD Black:

### Everyday Productivity


Expand your view and your productivity with this 68.6 cm (27-inch) diagonal, FHD monitor when you're working from home or at the office. This sleek, sizeable monitor makes hybrid work easy and complete via a crisp, smooth screen, built-in audio, and simple design, so you can do more everyday.

HP P27h G5. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDMI ports quantity	1
Display resolution *	1920 x 1080 pixels	HDMI version	1.4
HD type *	Full HD	DisplayPorts quantity	1
Native aspect ratio *	16:9	DisplayPort version	1.2
Panel type *	IPS	HDCP	✓
Touchscreen *	✗	Ergonomics	
Display brightness (typical)	250 cd/m <sup>2</sup>	VESA mounting *	✓
Response time	5 ms	Panel mounting interface	100 x 100 mm
Anti-glare screen	✓	Cable lock slot *	✓
Screen shape *	Flat	Height adjustment *	✓
Supported graphics resolutions	1280 x 720 (HD 720), 1280 x 800 (WXGA), 720 x 400, 1280 x 1024 (SXGA), 800 x 600 (SVGA), 1400 x 900, 1600 x 900, 1024 x 768 (XGA), 640 x 480 (VGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Height adjustment	10 cm
		Tilt angle range	-5 - 20°
		Tilt adjustment	✓
Contrast ratio (typical) *	1000:1	Power	
Contrast ratio (dynamic)	8000000:1	Power consumption (typical) *	21 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (max)	35 W
Display number of colours *	16.7 million colours	AC input voltage	100 - 240 V
Pixel pitch	0.31 x 0.31 mm	AC input frequency	50 - 60 Hz
Pixel density	82 ppi	Operational conditions	
Horizontal scan range	30 - 86 kHz	Operating temperature (T-T)	5 - 35 °C
Vertical scan range	48 - 75 Hz	Operating relative humidity (H-H)	20 - 80%
Display diagonal (metric)	68.6 cm	Weight & dimensions	
Surface hardness	3H	Width (with stand)	611 mm
Colour depth	8 bit	Depth (with stand)	202.3 mm
RGB colour space	NTSC	Height (with stand)	509.7 mm
Colour gamut	72%	Weight (with stand)	5.75 kg
Performance		Packaging data	
Flicker-free technology	✓	Package width	611 mm
Low Blue Light technology	✓	Package depth	202.3 mm
HP segment	Business	Package height	509.7 mm

<b>Multimedia</b>		<b>Packaging data</b>	
Built-in speaker(s) *	✓	Package weight	8.03 kg
Built-in camera *	✗	<b>Sustainability</b>	
RMS rated power	4 W	Sustainability certificates	ENERGY STAR
<b>Design</b>		Sustainable technologies and materials	Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; 85% ITE-derived closed loop plastic; Low Halogen
Market positioning *	Business	<b>Other features</b>	
Product colour *	Black	Weight	5.75 kg
Detachable stand	✓	Height	365.6 mm
<b>Ports &amp; interfaces</b>		Width	611 mm
VGA (D-Sub) ports quantity	1	Depth	57.1 mm
HDMI *	✓		



0196548133369



196548133369




0196548133994




196548133994



0196548133437




196548133437



0196548133390




196548133390



0196548133987




196548133987



0196548133932



196548133932




0196548133901



196548133901




0196548688326




196548688326



0196548133871




196548133871



0196548133857



196548133857



0196548133796




196548133796



0196548688319



196548688319



0196548133741



196548133741




0196548133727




196548133727



0196548133703




196548133703



0196548133697




196548133697



0196548133635




196548133635



0196548133574




196548133574



0196548133536




196548133536



0196548133529



196548133529



0196548133475



196548133475



4573595770635

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.